



# TECHNICAL SHEET

FA 10 211 00



**Designation** : Harness with belt FIRE FREE

This harness has been designed to offer a perfect solution for workers doing welding at height. We recommend its use for : shipbuilding, building steelwork, ...

**Attachment Elements** : 1 Dorsal D-Ring (A) ●, 1 sternal attachment (A/2) ● with 2 textile loops for fall arrest and 2 lateral D-Rings ● at waist level for work positioning.

**Adaptability** : Adjustable shoulder, thigh straps and waist belt.

**Convenience** : Static strength of the harness webbing has been tested after being exposed to the small molten metal splashes. Automatic buckles on thigh straps and on the belt.

**Compliance** : Complies to the standards EN 361:2002, EN 358 :2000, ISO 9150: 1988 and ISO 15025: 2005



**Size** : S - XL

**Materials :**

Straps : aramid

Buckles : steel



**HS code**

63072090

**Carton Size/ Pieces**

60x40x24 / 5

**Unit Weight**

2.55 Kg

**AET: N° xxxx Issue Extension**

Satra Technology Centre, N°0321  
Wyndham Way, Telford Way, Kettering,  
Northamptonshire, NN16 8SD, United Kingdom.

**Article 11: GB07/73551**

SGS United Kingdom Ltd., N° 0120  
Unit 202B, Worle Parkway,  
Weston-super-Mare, BS22 6WA, United Kingdom



Maj. : 07/2013

ZI les portes du Dauphiné

4 rue de l'Aigue

69 780 St Pierre de Chandieu – France

Tel : +33 (0)4 72 48 78 27 Fax : + 33 (0)4 72 48 58 32

www.kratossafety.com info@kratossafety.com

